

**PROOF OF PUBLICATION**  
**—(2010 & 2011 C.C.P.)**

This space is for the County Clerk's Filing Stamp

STATE OF CALIFORNIA  
County of San Diego

I am a citizen of the United States and a resident of the County aforesaid: I am over the age of eighteen years and not a party to or interested in the above-entitled matter. I am the principal clerk of the printer of

## North County Times


Formerly known as the Blade-Citizen and The Times-Advocate and which newspapers have been adjudicated newspapers of general circulation by the Superior Court of the County of San Diego, State of California, for the City of Oceanside and the City of Escondido, Court Decree number 171349, for the County of San Diego, that the notice of which the annexed is a printed copy (set in type not smaller than nonpareil), has been published in each regular and entire issue of said newspaper and not in any supplement thereof on the following dates, to-wit:

**October 07<sup>th</sup>, 2005**

I certify (or declare) under penalty of perjury that the foregoing is true and correct.

Dated at **SAN MARCOS** California

This 07<sup>th</sup> Day of October, 2005



Signature  
Jane Allshouse  
NORTH COUNTY TIMES  
Legal Advertising

### Proof of Publication of

**NOTICE OF PUBLIC  
HEARING  
CALIFORNIA REGIONAL  
WATER QUALITY  
CONTROL BOARD  
SAN DIEGO REGION**

Pursuant to the California Code of Regulations, Title 27, Section 21730; the California Regional Water Quality Control Board, San Diego Region (Regional Board) hereby notifies the public of its intent to consider adoption of tentative Order No. R9-2005-0183. If adopted, the tentative Order will supercede the existing waste discharge requirements (Order Nos. 87-53, Order 93-86 and addenda thereto) for closure and post-closure maintenance and monitoring at the Anza Landfill, operated by the County of Riverside.

The Regional Board wishes to obtain information to assist it in determining the proper requirements for the proposed action. A public

meeting will be held by the Regional Board to consider the proposed action. The public meeting is scheduled to begin at 9:00 a.m. on Wednesday December 14, 2005 at the following location:

California Regional Water Quality Control Board  
Regional Board Meeting Room  
9174 Sky Park Court, Suite 100  
San Diego, CA 92123

Interested persons are invited to attend to express their views on the above-mentioned item. Written comments should be received by the Regional Board office as soon as possible, and no later than December 1, 2005. The agenda package will be available to view or download from the Regional Board website at [www.waterboards.ca.gov/sandiego/](http://www.waterboards.ca.gov/sandiego/) 30 days prior to the board meeting. Please contact Mrs. Amy Grove at (858) 637-7136 or via e-mail at [agrove@waterboards.ca.gov](mailto:agrove@waterboards.ca.gov) for information regarding the issuance of tentative Order No. R9-2005-0183.

All documents, comments received, and other information related to the above-mentioned item is on file and may be reviewed at the office of the California Regional Water Quality Control Board - San Diego Region, 9174 Sky Park Court, Suite 100, San Diego, CA 92123. Telephone (858) 467-2952, FAX (858) 571-6972.

Review of information and files can be conducted on the following dates and times: Monday, Tuesday and Friday from 8:30 to 11:30 a.m., and Monday and Thursday from 1:30 to 4:30 p.m.

Please bring the foregoing to the attention of any person known to you who would be interested in these matters.

JOHN H. ROBERTUS  
Executive Officer  
Regional Water Quality Control Board  
San Diego Region  
10/07/2005  
CNS-875696#  
NORTH COUNTY TIMES  
NCT 1859968

**NOTICE OF PUBLIC HEARING  
CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD  
SAN DIEGO REGION**

Pursuant to the California Code of Regulations, Title 27, Section 21730; the California Regional Water Quality Control Board, San Diego Region (Regional Board) hereby notifies the public of its intent to consider adoption of tentative Order No. R9-2005-0183. If adopted, the tentative Order will supercede the existing waste discharge requirements (Order Nos. 87-53, Order 93-86 and addenda thereto) for closure and post-closure maintenance and monitoring at the Anza Landfill, operated by the County of Riverside.

The Regional Board wishes to obtain information to assist it in determining the proper requirements for the proposed action. A public meeting will be held by the Regional Board to consider the proposed action. The public meeting is scheduled to begin at **9:00 a.m. on Wednesday December 14, 2005** at the following location:

California Regional Water Quality Control Board  
Regional Board Meeting Room  
9174 Sky Park Court, Suite 100  
San Diego, CA 92123

Interested persons are invited to attend to express their views on the above-mentioned item. Written comments should be received by the Regional Board office as soon as possible, and no later than **December 1, 2005**. The agenda package will be available to view or download from the Regional Board website at [www.waterboards.ca.gov/sandiego/](http://www.waterboards.ca.gov/sandiego/) 30 days prior to the board meeting. Please contact Mrs. Amy Grove at (858) 637-7136 or via e-mail at [agrove@waterboards.ca.gov](mailto:agrove@waterboards.ca.gov) for information regarding the issuance of tentative Order No. R9-2005-0183.

All documents, comments received, and other information related to the above-mentioned item is on file and may be reviewed at the office of the California Regional Water Quality Control Board – San Diego Region, 9174 Sky Park Court, Suite 100, San Diego, CA 92123, Telephone (858) 467-2952, FAX (858) 571-6972.

Review of information and files can be conducted on the following dates and times:  
Monday, Tuesday and Friday from 8:30 to 11:30 a.m., and Monday and Thursday from 1:30 to 4:30 p.m.

Please bring the foregoing to the attention of any person known to you who would be interested in these matters.



**JOHN H. ROBERTUS**  
Executive Officer  
Regional Water Quality Control Board  
San Diego Region

*File 06-0204.02  
- ALG*

STATE OF CALIFORNIA  
REGIONAL WATER QUALITY CONTROL BOARD  
SAN DIEGO REGION

# AGENDA

Wednesday, October 12, 2005  
9:00 a.m.

Rancho California Water District  
District Board Room  
42135 Winchester Road  
Temecula, California

The Regional Board requests that all lengthy comments be submitted in writing in advance of the meeting date. To ensure that the Regional Board has the opportunity to fully study and consider written material, comments should be received in the Regional Board's office no later than 5:00 P.M. on Wednesday, September 28, 2005, and should indicate the agenda item to which it is applicable. If the submitted written material is more than 5 pages or contains foldouts, color graphics, maps, etc., 20 copies must be submitted for distribution to the Regional Board members and staff. Written material submitted after 5:00 P.M. on Wednesday, October 5, 2005 will not be provided to the Regional Board members and will not be considered by the Regional Board. *PLEASE NOTE THAT SOME ITEMS ON THE AGENDA MAY HAVE BEEN PREVIOUSLY NOTICED WITH EARLIER DEADLINES FOR SUBMITTING WRITTEN COMMENTS. IN THOSE CASES THE EARLIER DEADLINES APPLY.*

Comments on agenda items will be accepted by E-mail subject to the same conditions set forth for other written submissions as long as the total submittal (including attachments) does not exceed five printed pages in length. E-mail must be submitted to: [rb9agenda@waterboards.ca.gov](mailto:rb9agenda@waterboards.ca.gov) to insure consideration by the Regional Board. Type the word "Agenda" in the subject line.

Pursuant to Title 23, California Code of Regulations, Section 648.4, the Regional Board may refuse to admit written testimony into evidence if it is not submitted to the Regional Board in a timely manner, unless the proponent can demonstrate why he or she was unable to submit the material on time or that compliance with the deadline would create an unreasonable hardship.

NOTE C, attached to this Notice, contains a description of the hearing procedures that will be followed by the Regional Board. Hearings before the Regional Board are normally conducted using procedures that do not include cross-examination. Parties requesting use of more formal procedures must do so in accord with the directions in NOTE C. Any such request, together with supporting material, must be received in the Regional Board's office no later than 5:00 P.M. on Wednesday, September 28, 2005.

16. Arrangements for Next Meeting and Adjournment  
Wednesday, November 9, 2005 - 9:00 a.m.  
Water Quality Control Board  
Regional Board Meeting Room  
9174 Sky Park Court  
San Diego, California

### *Notifications*

A. On August 23, 2005, the Regional Board issued Cleanup and Abatement Order No. R9-2005-0017, *Bulen Family Trust, Lovett's One Hour Dry Cleaners, 1378 East Grand Avenue Escondido, California, San Diego County*. The Bulen Family Trust owns the property where Lovett's One Hour Dry Cleaner is located (1378 E. Grand Avenue in Escondido, California). The discharge of chlorinated solvent waste from the Lovett's One Hour Dry Cleaner has caused a condition of pollution in ground water and is a violation of Basin Plan Prohibition No. 1. Efforts to investigate and remediate the condition of pollution caused by the discharge of chlorinated solvent waste from Lovett's One Hour Dry Cleaners under the regulatory oversight of the County of San Diego Department of Environmental Health's Voluntary Assistance Program has not cleaned up the waste or abated the effects of the waste as required by Water Code Section 13304. Therefore, the Regional Board issued Cleanup and Abatement Order No. R9-2005-0017. (*Laurie Walsh*)

B. 45-day notice: Pursuant to California Code of Regulations, Title 27 §21730(b), the California Regional Water Quality Control Board, San Diego Region is providing the following notice to consider adoption of tentative Waste Discharge Requirements, Order No. R9-2005-0183, for Closure and Post-Closure Maintenance and Monitoring of the Anza Sanitary Landfill located in the County of Riverside. The Regional Board plans to schedule an agenda item, to receive public comments and consider adoption of tentative Order R9-2005-0183, during its regularly scheduled meeting on December 14, 2005. Tentative Order No. R9-2005-0183 would, if adopted, supercede existing waste discharge requirements in Order No. 87-53 and addenda thereto, and delete the Anza Landfill from General Order No. 93-86. (*Amy Grove*)

**NOTICE OF PUBLIC  
HEARING  
CALIFORNIA REGIONAL  
WATER QUALITY**

**CONTROL BOARD  
SAN DIEGO REGION**

Pursuant to the California Code of Regulations, Title 27, Section 21730, the California Regional Water Quality Control Board, San Diego Region (Regional Board) hereby notifies the public of its intent to consider adoption of tentative Order No. R9-2005-0183. If adopted, the tentative Order will supercede the existing waste discharge requirements (Order Nos. 87-53, Order 93-86 and addenda thereto) for closure and post-closure maintenance and monitoring at the Anza Landfill, operated by the County of Riverside.

The Regional Board wishes to obtain information to assist it in determining the proper requirements for the proposed action. A public meeting will be held by the Regional Board to consider the proposed action. The public meeting is scheduled to begin at 9:00 a.m. on Wednesday December 14, 2005 at the following location:

California Regional Water  
Quality Control Board  
Regional Board Meeting  
Room  
9174 Sky Park Court, Suite 100  
San Diego, CA 92123

Interested persons are invited to attend to express their views on the above-mentioned item. Written comments should be received by the Regional Board office as soon as possible, and no later than December 1, 2005. The agenda package will be available to view or download from the Regional Board website at [www.waterboards.ca.gov/sandiego/](http://www.waterboards.ca.gov/sandiego/) 30 days prior to the board meeting. Please contact Mrs. Amy Grove at (858) 637-7136 or via e-mail at [agrove@waterboards.ca.gov](mailto:agrove@waterboards.ca.gov) for information regarding the issuance of tentative Order No. R9-2005-0183.

All documents, comments received, and other information related to the above-mentioned item is on file and may be reviewed at the office of the California Regional Water Quality Control Board - San Diego Region, 9174 Sky Park Court, Suite 100, San Diego, CA 92123. Telephone (858) 467-2952, FAX (858) 571-6972.

Review of information and files can be conducted on the following dates and times: Monday, Tuesday and Friday from 8:30 to 11:30 a.m., and Monday and Thursday from 1:30 to 4:30 p.m.

Please bring the foregoing to the attention of any person known to you who would be interested in these matters.

JOHN H. ROBERTUS  
Executive Officer  
Regional Water Quality  
Control Board  
San Diego Region  
10/07/2005  
CNS-875697#  
RIVERSIDE PRESS  
ENTERPRISE